

ASCOLTO®
Digitally Steerable
Column Speakers



"ASCOLTO"
Digitally Steerable
Column Speakers

The Better Understand.

Audio Vertriebs-
Entwicklungsgesellschaft
mbH

ave



Digitally Steerable Column Speakers "Ascolto" Excellent Intelligibility.

Our three product series meet all criteria for optimal sound quality and speech intelligibility. They are perfectly adaptable, even in the most acoustically challenging environments. The Ascolto portfolio from AVE provides comprehensive coverage for all types of rooms.

FF SERIES

The full-range **Ascolto - Series FF** is a new highlight from AVE Stuttgart, featuring its precious coaxial loudspeakers with a 4.0-inch woofer and a 1.0-inch dome tweeter, made both of neodymium. With an exceptionally successful design closely integrated with cutting-edge technology, the new FF Series stands at the forefront of all AVE digitally steerable column speakers. Even more precise, clearer, and refined in sound behavior, the Ascolto Series FF sets a new standard for natural sound reproduction and clarity. Particularly in acoustically challenging environments like halls, lecture halls, churches, mosques, conference rooms, and museums, where conventional active line array speakers often fall short, the Ascolto Series FF truly excels.


The ASCOLTO Series FF is available in three different sizes: FF0870, FF1670, and FF2470. Ideal for short distances, the FF0870 model offers exceptional performance, while for longer distances, the Ascolto FF1670 and FF2470 column speakers are recommended. With pronounced bass presence, they deliver outstanding sound quality, and their lowest frequency range can be effectively supplemented with a subwoofer for enhanced musical performance. Each digitally steerable column speaker Ascolto - Series FF can also be equipped with a Dante™ network module for added versatility.

AH SERIES

The **Ascolto - Series AH** stands out for its refined and superior sound quality, attributed to its carefully selected 3.5-inch neodymium loudspeakers that enhance both music and speech clarity. Unique for its acoustic directivity, the Ascolto Series AH excels in reaching deep spaces with precision. Specifically designed for large environments such as churches, cathedrals, and basilicas, the AH Series provides extended coverage while delivering a crisp, bright tone, making it ideal for environments requiring both penetrating projection and clear articulation.

LH SERIES

The **Ascolto - Series LH** features a 2.5-inch neodymium loudspeaker, offering a balanced blend between the exquisite and incisive sound of the AH Series and the remarkable horizontal coverage and compact profile of the legacy MH Series. Recommended for use in large, highly reverberant environments, the Ascolto Series LH ensures clean and clear sound reproduction. It's an ideal choice where aesthetic considerations or custom requirements demand seamless integration of digitally controlled column speakers.



AH6435 with 2 independent beams and 2 listening areas

Digitally Steerable Column Speakers "Ascolto"


Reliable system. Invisible design.

Digitally Steerable Column Speakers **Ascolto** are characterized:

- Trendsetting technology in an elegant design
- Fit into all architectural styles and settings
- For all kinds of applications where the highest demands are required
- Incredibly clear and distinct sound spectrum
- Constant listening experience over the entire distance
- High sound pressure to fulfill demanding sound requirements.
- High-quality neodymium speakers
- Multi-Beams Technologie (Up to 5 Beams)
- Dante network built-in card for all Ascolto series



The UNESCO World Heritage Site, Cologne Cathedral, relies on the exceptional sound quality and sleek design of Ascolto digitally steerable column speakers by AVE. These speakers seamlessly integrate into the cathedral's architecture, delivering impeccable sound and enhancing the overall ambiance.



Hoch Altar DOM Köln

Digitally Steerable Column Speakers "Ascolto" Superior Technology - Made in Germany.

The digitally steerable column speakers **Ascolto** are equipped with high-quality neodymium loudspeakers, capable to spread perfectly voice as well as sound instruments.



They can handle higher power applications, delivering great tone at any volume levels.

Each digital column speaker **Ascolto** contains a set of custom-designed, fully-programmable 145-MHz, 48-bit DSPs where high precision 76-bit accumulators ensure the bit resolution for a total quality in digital audio processing such as beam filtering and audio equalization.

Optimal sound quality in spaces with significant reverberation.

They are the only digitally steerable speakers among competitors which possess the innovative **Anti Reverberation System ARS[®]**, capable of increasing the voice intelligibility in reverberant environments.

ARS system conveys uniformly acoustic energy on the lower part of the audio beam and reduce drastically the audio emission upwards, attenuating significantly the acoustic reflections related to ceilings.



FF2470 with 1 audio beam and Anti Reverberation System ARS enabled.

Audio Digital Processing Board

Digitally Steerable Column Speakers "Ascolto" Invent the Digital Speech / Music Control



The innovative automatic digital equalizer for best graceful music listening.

All Ascolto column speakers are equipped with an intelligent and stable automatic digital equalizer. It analyzes the input signal and measures the relationship between music and language.

In response to such a ratio, the system applies a desired audio emphasis focus gently and gradually to both musical and vocal components in the incoming signal

The higher the ratio, the closer the affected audio emphasis focus is selected by the PC software AVE Line Array User Controls adjustable reference compensation.

The security of the system ensures that the focus is only applied to musical performances and the chorus, while no compensation takes place with the solo passages to obtain the best speech intelligibility.


The ultimate outcome of the automatic digital equalizer is to enhance the listening experience, providing deeper sensations.




AVE Line Array User Control®.

For best performance.

AVE Line Array User Control® is a sophisticated software application that uses a complex proprietary algorithm to calculate accurately SPL distribution of digital column speakers **Ascolto** from their EASE® models. It allows the user to select the appropriate dispersion pattern and transfer the aiming and filtering parameters to the ASCOLTO column speakers.



The digital column speakers **Ascolto** are equipped with class-D audio amplifiers with excellent THD + N, high efficiency for respect to energy consumption, fully protected against output short circuit and over temperature.



▲ Digital Mixer Andante 16

◀ AVE solutions. Easy to integrate.

Line 100 volts. Compatible with existing audio networks.

All our digital line arrays Ascolto have a auxiliary audio input at 100 volts level beside the primary line input. Thus, a digital line array Ascolto can be integrated and connected into an existing speaker line network.

Features Tables.

Series FF Neodymium, Coaxial, 4.0" Woofer + 1.0" Dome Tweeter						
Model	Audio Power (Loudspeakers × Watt _{max})	Frequency Bandwidth ¹	Horizontal Coverage ²	Vertical Coverage ² (DSP adjustable)	Throw (Typical - Maximum)	Dimensions (Height × Width × Depth)
FF0870	8 × 140 W	80 Hz÷20 kHz	110°	20° ÷ 40°	20 - 25 m	1174 × 122 × 120 mm
FF1670	16 × 140 W			10° ÷ 40°	25 - 30 m	2014 × 122 × 120 mm
FF2470	24 × 140 W			8° ÷ 40°	30 - 35 m	3044 × 122 × 120 mm
FF3270	32 × 140 W			6° ÷ 40°	35 - 40 m	4024 × 122 × 120 mm

Series AH Neodymium, Wideband 3.5" Woofer						
Model	Audio Power (Loudspeakers × Watt _{max})	Frequency Bandwidth ¹	Horizontal Coverage ²	Vertical Coverage ² (DSP adjustable)	Throw (Typical - Maximum)	Dimensions (Height × Width × Depth)
AH0835	8 × 70 W	80 Hz÷20 kHz	130°	26° ÷ 40°	15 - 25 m	1050 × 120 × 121 mm
AH1635	16 × 70 W			16,9° ÷ 40°	20 - 25 m	1776 × 120 × 121mm
AH2435	24 × 70 W			12° ÷ 40°	25 - 30 m	2482 × 120 × 121 mm
AH3235	32 × 70 W			9° ÷ 40°	30 - 35 m	3197 × 120 × 121 mm
AH4035	40 × 70 W			8° ÷ 40°	35 - 40 m	4258 × 120 × 121 mm
AH4835	48 × 70 W			7° ÷ 40°	40 - 45 m	4964 × 120 × 121 mm
AH5635	56 × 70 W			6° ÷ 40°	45 - 50 m	5681 × 120 × 121 mm
AH6435	64 × 70 W			5° ÷ 40°	50 - 55 m	6398 × 120 × 121 mm


Series LH Neodymium, Wideband 2.5" Woofer						
Model	Audio Power (Loudspeakers × Watt _{max})	Frequency Bandwidth ¹	Horizontal Coverage ²	Vertical Coverage ² (DSP adjustable)	Throw (Typical - Maximum)	Dimensions (Height × Width × Depth)
LH0825	8 × 50 W	120 Hz÷20 kHz	155°	30° ÷ 40°	10 - 15 m	840 × 90 × 100 mm
LH1625	16 × 50 W			23° ÷ 40°	15 - 20 m	1434 × 90 × 100 mm
LH2425	24 × 50 W			16° ÷ 40°	20 - 25 m	1970 × 90 × 100 mm
LH3225	32 × 50 W			12° ÷ 40°	25 - 30 m	2655 × 90 × 100 mm
LH4025	40 × 50 W			10° ÷ 40°	30 - 35 m	3190 × 90 × 100 mm
LH4825	48 × 50 W			9° ÷ 40°	35 - 40 m	4228 × 90 × 100 mm
LH5625	56 × 50 W			8° ÷ 40°	40 - 45 m	4764 × 90 × 100 mm
LH6425	64 × 50 W			7° ÷ 40°	45 - 50 m	5300 × 90 × 100 mm

¹ Frequency Bandwidth is measured on-axis within ±2 dB respect maximum.

² Coverage Angle is measured averaging directivity patterns in the range 500 Hz ÷ 8 kHz and referring to angle between two points on either side of the principal axis where SPL is down 6 dB from its value at zero degree.



High-reliable Switching Power Supplies compliance to IEC/EN 60601-1-2.



EASE Simulation: STI index prediction with two Ascolto LH6425 over listening area (church nave)



Always at your disposal. In Europe and worldwide.

**AVE Audio Vertriebs-
Entwicklungsgesellschaft mbH**
Gustav-Rau-Straße 6
74321 - Bietigheim-Bissingen

GERMANY

Home office

Phone +49 7142 788 790

Fax +49 7142 7887918

Web www.ave-stuttgart.de

E-Mail info@ave-stuttgart.de

Managing Director

Salvatore Lattuca

Development / Sales

Phone +49 7142 788 79-15

E-Mail lattuca@ave-stuttgart.de

Martin Sieber

Sales/Technical Consulting

Phone +49 7142 788 79-11

E-Mail sieber@ave-stuttgart.de



**German Technology
Made in Germany**

AVE mbH, the AVE logo and Ascolto® Digital Line Array are trademarks or registered trademarks of AVE mbH in Germany and other countries.

Status **February 2025**

GERMANY
Klein – Beschallungs- und Kirchentechnik
Welsersstr. 10 f
51149 Köln
Tel: +49 2203 911940
Fax: +49 2203 9119449
www.klein-beschallung.de

GERMANY
IGL SCHÖNWITZ
Audio Consulting
Untere Dorfstr. 16
91462 Dachsbach/Rauschenberg
Tel: +49 9163 994103
www.audioconsulting.eu

BELGIUM
a.v.t.e. Sprl Informatic & Audio
Consultancy
PARMENTIER Charles
chaussée de Bruxelles, 31
1300 Wavre
Tel: +32 108 13136
Fax: +32 108 13136
www.avte.be

TÜRKY
KALEPRO
Girne Mahallesi
Irmak sok, Küçükyalı iş Merkezi,
H-13 Blok, Maltepe/Istanbul
Tel: +90216 565 69 71
www.kalepro.com
E-mail: info@kalepro.com

THE NETHERLANDS
Schaapsound B.V.
Kaartenmakerstraat 18
2984 CB Ridderkerk
Tel: +31 85 06633 33
www.schaapsound.nl

FRANCE
TSE
Technique Spectacle Evénement
14 rue de l'Industrie
68440 Habsheim
Tel: +33 3 89 63 33 90
www.tse-live.com

FRANCE
VIGORIS
Vincent Goisnard
13, Av André Renö Guibert
78170 La Celle Saint Cloud
Tel: +33 6326 60386

FRANCE
Ecclesia Sound EUROL
Joachim Fritsch
80 chemin de la Parette
13012 Marseille
Tel: +33 638 83 19 84
www.ecclesia-sound.com

ITALY
Elettrica Friulana s.n.c.
di Tonizzo Ugo & C.
Via maggiore, 34
33039 Gradisca di Sedegliano (Ud)
Tel: +39 432 916262
Fax: +39 432 916774
www.elettricafriulana.it

CROATIA
SUNFLOWER d.o.o.
Tomislav Koran
Ante Kovacica 6
51000 Rijeka
Tel: +385 98257823
www.paudio.hr

ROMANIA
GBC Exim S.r.l.
14, Eugen Lovinescu Street
011276 Bukarest
Tel: +40 722.123.059
Tel: +40 216.672.641
www.gbc.ro

POLAND
Aplauz Sp. z o.o.
ul. Graniczna 19
05-092 Łomianki-Dąbrowa
Tel: +48 22751 4239
Fax: +48 22751 4244
www.aplauzaudio.pl

PORTUGAL AND SPAIN
Domotron 2 Innovation
Administração e Serviços Centrais
Rua dos Tractores 506 Armazém C
2870-607 Jardia
Tel: +351 212191961
www.domotron.eu

SLOVAKIA
TM Sound, s.r.o
Poštová 2
010 08 Žilina
Tel: +421 905 170297
Tel: +421 903 290905
Fax: +421 415 077979
www.tmsound.sk

FINLAND
Seastone audio & acoustics
Kotka 26 A
EE-11312 Tallinn
ESTONIA
www.seastone.audio

ESTONIA
Seastone audio & acoustics
Kotka 26 A
EE-11312 Tallinn
ESTONIA
www.seastone.audio

LATVIJA
Seastone audio & acoustics
Kotka 26 A
EE-11312 Tallinn
ESTONIA
www.seastone.audio

LITHUENIA
Seastone audio & acoustics
Kotka 26 A
EE-11312 Tallinn
ESTONIA
www.seastone.audio

CYPRUS
S.M. Soundworks & Repairs Ltd.
Marco Stavri
Synergatismou 3
Vrontis Court, Shop 7
6018, Lamaca
Tel/ Fax: +357 24 818279
Mobile: +357 99 586279
www.soundworkscy.com

VIETNAM
QV Sound
99/7 Nguyen Tu Nghiem,
Binh Trung Tay Ward
Thu Duc City,
Ho Chi Minh City, Viet Nam
Tel: +84 28-6290-8408
Mobile: +84 98-299-1048
www.qvsound.com

CHINA
Yukon Audio
Room 1202. Bldg B. No.
705 Yi Shan Road
Xu Hui District, Shanghai
Tel: +86-21-62751333
Fax: +86-21-62099203
www.yukonaudio.com/



Audio Vertriebs-
Entwicklungsgesellschaft
mbH

ave